

BIOLOGY *of* REPRODUCTION

Official Journal of the Society for
the Study of Reproduction

MARCH 2007

VOLUME 76 NUMBER 3

Biology of Reproduction Highlights	345
Reproductive Deficits in Male Freshwater Turtle <i>Chrysemys picta</i> from Cape Cod, Massachusetts	346
<i>Noppadon Kitana, Seung Jae Won, and Ian P. Callard</i>	
Using multiple biologic endpoints, reproductive deficits were found in adult male freshwater turtles trapped from a potentially impacted pond near a Superfund site on Cape Cod, Massachusetts.	
Semen-Coagulating Protein, SVS2, in Mouse Seminal Plasma Controls Sperm Fertility	353
<i>Natsuko Kawano and Manabu Yoshida</i>	
During mouse copulation, SVS2 enters the uterus with sperm and functions as a decapacitation factor.	
Culture of Zygotes Increases p53 Expression in B6 Mouse Embryos, which Reduces Embryo Viability	362
<i>A. Li, V. Chandrakanthan, O. Chami, and C. O'Neill</i>	
Mouse strains show differences in their susceptibility to preimplantation culture in vitro, and TRP53 is up-regulated, and this is a cause of the loss of embryo viability consequent to embryo culture in a susceptible strain.	
Effects of Metformin on Bovine Granulosa Cells Steroidogenesis: Possible Involvement of Adenosine 5' Monophosphate-Activated Protein Kinase (AMPK)	368
<i>Lucie Tosca, Christine Chabrolle, Svetlana Uzbekova, and Joëlle Dupont</i>	
In bovine granulosa cells, metformin decreases steroidogenesis and MAPK3/MAPK1 phosphorylation through AMPK activation.	
Cell-Type Localization of Platelet-Derived Growth Factors and Receptors in the Postnatal Rat Ovary and Follicle	379
<i>Leanne S. Sleer and Christopher C. Taylor</i>	
Platelet-derived growth factors and receptors are present in the rat ovarian follicle and contribute towards growth of preantral follicles.	
Platelet-Derived Growth Factors and Receptors in the Rat Corpus Luteum: Localization and Identification of an Effect on Luteogenesis.	391
<i>Leanne S. Sleer and Christopher C. Taylor</i>	
Platelet-derived growth factors and receptors are present in cells of the rat ovarian corpus luteum and contribute towards luteogenesis.	
Production of F₁ Interspecies Hybrid Offspring with Cryopreserved Sperm from a Live-Bearing Fish, the Swordtail <i>Xiphophorus helleri</i>	401
<i>Huiping Yang, Leona Hazlewood, Sheila J. Heater, Paula A. Guerrero, Ronald B. Walter, and Terrence R. Tiersch</i>	
Successful fertilization and offspring were produced by cryopreserved sperm in a live-bearing fish <i>Xiphophorus helleri</i> .	
The 193-Base Pair <i>Gsg2</i> (Haspin) Promoter Region Regulates Germ Cell-Specific Expression Bidirectionally and Synchronously	407
<i>Keizo Tokuhira, Yasushi Miyagawa, Shuichi Yamada, Mika Hirose, Hiroshi Ohta, Yoshitake Nishimune, and Hiromitsu Tanaka</i>	
A novel 193-bp <i>Gsg2</i> haspin DNA sequence introduces specific, bidirectional, and synchronous expression in haploid germ cells and may be regulated by binding with germ cell-specific nuclear complexes.	
Receptor-Determined Susceptibility of Preimplantation Embryos to Pseudorabies Virus and Porcine Reproductive and Respiratory Syndrome Virus	415
<i>B. Mateusen, A. Van Soom, D.G.D. Maes, H. Favoreel, and H.J. Nauwynck</i>	
Preimplantation embryos starting from the five-cell stage are susceptible to a PRV infection but are refractory to a PRRV infection.	
Induction of Epididymal Boar Sperm Capacitation by pB1 and BSP-A1/-A2 Proteins, Members of the BSP Protein Family	424
<i>Marie-France Lusignan, Annick Bergeron, Marie-Hélène Crête, Claude Lazure, and Puttaswamy Manjunath</i>	
The porcine pB1 protein and the bovine BSP-A1/-A2 protein potentiate the capacitation of epididymal boar sperm, indicating the importance of BSP protein homologs in mammalian sperm capacitation.	

Differential Regulation of Colony Stimulating Factor 1 and Macrophage Migration Inhibitory Factor Expression by Inflammatory Cytokines in Term Human Decidua: Implications for Macrophage Trafficking at the Fetal-Maternal Interface	433
<i>Felice Arcuri, Lynn Buchwalder, Paolo Toti, Marcella Cintorino, Piero Tosi, Charles J. Lockwood, Basya Rybalov, and Frederick Schatz</i>	
Differential regulation by TNF and IL1B of CSF1 expression in human decidual cells reveals a novel mechanism by which inflammatory cytokines can affect macrophage trafficking at the fetal-maternal interface and influence pregnancy.	
Porcine SPDYA2 (RINGO A2) Stimulates CDC2 Activity and Accelerates Meiotic Maturation of Porcine Oocytes	440
<i>Sachi Kume, Tsutomu Endo, Yukio Nishimura, Kiyoshi Kano, and Kunihiko Naito</i>	
Porcine SPDYA2 was cloned and mRNA injection and overexpression accelerated oocyte meiotic maturation.	
Coordinated Regulation of Human Trophoblast Invasiveness by Macrophages and Interleukin 10	448
<i>Stephen J. Renaud, Shannyn K. Macdonald-Goodfellow, and Charles H. Graham</i>	
Interleukin-10, a cytokine whose levels are decreased in the sera of women afflicted with preeclampsia, interferes with the ability of activated macrophages to inhibit trophoblast invasiveness.	
Chronic Ethanol Perturbs Testicular Folate Metabolism and Dietary Folate Deficiency Reduces Sex Hormone Levels in the Yucatan Micropig	455
<i>Lynn M. Wallock-Montelius, Jesus A. Villanueva, Robert E. Chapin, A.J. Conley, Hung P. Nguyen, Bruce N. Ames, and Charles H. Halsted</i>	
Chronic ethanol consumption impairs spermatogenesis, and dietary folate deficiency reduces sex hormones, with divergent effects on testicular folate metabolism; testicular methionine synthase may influence the hormonal regulation of spermatogenesis.	
Low-Density Lipoprotein Receptor-Related Protein 8 (LRP8) Is Upregulated in Granulosa Cells of Bovine Dominant Follicle: Molecular Characterization and Spatio-Temporal Expression Studies	466
<i>Tania Fayad, Réjean Lefebvre, Johannes Nimpf, David W. Silversides, and Jacques G. Lussier</i>	
The mRNAs encoding LRP8, RELN, and MAPK8IP1 are differentially expressed during final follicular growth and ovulation, and suggest the presence of a paracrine mechanism involving RELN/LRP8/MAPK8IP1 interaction in the regulation of follicular development.	
Meiotic Induction by Heat Stress in Mouse Oocytes: Involvement of AMP-Activated Protein Kinase and MAPK Family Members	476
<i>Cean LaRosa and Stephen M. Downs</i>	
Heat stress stimulates maturation in meiotically arrested mouse oocytes through activation of AMP-activated protein kinase.	
Differential Expression of Glucose Transporters in Rabbit Placenta: Effect of Hypercholesterolemia in Dams	487
<i>Olha Kevorkova, Maude Ethier-Chiasson, and Julie Lafond</i>	
Maternal hypercholesterolemia influences SLC2 translocation in placenta.	
CYP2E1-Catalyzed Oxidation Contributes to the Sperm Toxicity of 1-Bromopropane in Mice	496
<i>C. Edwin Garner, C. Sloan, S.C.J. Sumner, J. Burgess, J. Davis, A. Etheridge, A. Parham, and B.I. Ghanayem</i>	
Metabolism of 1-bromopropane is mediated in part by CYP2E1, and activation via this enzyme may contribute to the male reproductive toxicity of this chemical.	
Temporal Associations among Pulses of 13,14-Dihydro-15-keto-PGF_{2alpha}, Luteal Blood Flow, and Luteolysis in Cattle	506
<i>O.J. Ginther, L.A. Silva, R.R. Araujo, and M.A. Beg</i>	
Luteal blood flow increased and decreased during individual PGFM pulses associated with spontaneous luteolysis.	
The Influence of Nuclear Content on Developmental Competence of Gaur × Cattle Hybrid In Vitro Fertilized and Somatic Cell Nuclear Transfer Embryos	514
<i>Gabriela F. Mastro Monaco, Laura A. Favetta, Lawrence C. Smith, France Fillion, and W. Allan King</i>	
Xenomitochondrial homoplasmy contributes to the poor developmental outcome observed in interspecies SCNT embryos between closely related <i>Bos</i> species.	
Steroid Control of Gonadotropin-Releasing Hormone Secretion: Associated Changes in Pro-Opiomelanocortin and Preproenkephalin Messenger RNA Expression in the Ovine Hypothalamus	524
<i>James A. Taylor, Marie-Laure Goubillon, Kevin D. Broad, and Jane E. Robinson</i>	
Physiological concentrations of estrogen and progesterone that either stimulate or inhibit GnRH secretion, respectively, are associated with changes in gene expression for <i>POMC</i> and <i>PENK</i> in specific nuclei in the ovine hypothalamus.	
Leptin Promotes Meiotic Progression and Developmental Capacity of Bovine Oocytes Via Cumulus Cell-Independent and -Dependent Mechanisms	532
<i>Fabiola F. Paula-Lopes, Marc Boelhaue, Felix A. Habermann, Fred Sinowatz, and Eckhard Wolf</i>	
Leptin treatment during bovine maturation improved the ability of the oocyte to sustain embryonic development by enhanced oocyte maturation directly by acting on the oocyte and indirectly by preventing cumulus cell apoptosis.	

Contents by Category

Embryo

- 362 Culture of Zygotes Increases p53 Expression in B6 Mouse Embryos, which Reduces Embryo Viability. *A. Li, V. Chandrakanthan, O. Chami, and C. O'Neill*
- 415 Receptor-Determined Susceptibility of Preimplantation Embryos to Pseudorabies Virus and Porcine Reproductive and Respiratory Syndrome Virus. *B. Mateusen, A. Van Soom, D.G.D. Maes, H. Favoreel, and H.J. Nauwynck*
- 514 The Influence of Nuclear Content on Developmental Competence of Gaur × Cattle Hybrid In Vitro Fertilized and Somatic Cell Nuclear Transfer Embryos. *Gabriela F. Mastromonaco, Laura A. Favetta, Lawrence C. Smith, France Filion, and W. Allan King*

Environment

- 346 Reproductive Deficits in Male Freshwater Turtle *Chrysemys picta* from Cape Cod, Massachusetts. *Noppadon Kitana, Seung Jae Won, and Ian P. Callard*

Gamete Biology

- 353 Semen-Coagulating Protein, SVS2, in Mouse Seminal Plasma Controls Sperm Fertility. *Natsuko Kawano and Manabu Yoshida*
- 440 Porcine SPDYA2 (RINGO A2) Stimulates CDC2 Activity and Accelerates Meiotic Maturation of Porcine Oocytes. *Sachi Kume, Tsutomu Endo, Yukio Nishimura, Kiyoshi Kano, and Kunihiko Naito*
- 476 Meiotic Induction by Heat Stress in Mouse Oocytes: Involvement of AMP-Activated Protein Kinase and MAPK Family Members. *Cean LaRosa, and Stephen M. Downs*

Male Reproductive Tract

- 424 Induction of Epididymal Boar Sperm Capacitation by pB1 and BSP-A1/-A2 Proteins, Members of the BSP Protein Family. *Marie-France Lusignan, Annick Bergeron, Marie-Hélène Crête, Claude Lazure, and Puttaswamy Manjunath*
- 455 Chronic Ethanol Perturbs Testicular Folate Metabolism and Dietary Folate Deficiency Reduces Sex Hormone Levels in the Yucatan Micropig. *Lynn M. Wallock-Montelius, Jesus A. Villanueva, Robert E. Chapin, A.J. Conley, Hung P. Nguyen, Bruce N. Ames, and Charles H. Halsted*

Neuroendocrinology

- 524 Steroid Control of Gonadotropin-Releasing Hormone Secretion: Associated Changes in Pro-Opiomelanocortin and Preproenkephalin Messenger RNA Expression in the Ovine Hypothalamus. *James A. Taylor, Marie-Laure Goubillon, Kevin D. Broad, and Jane E. Robinson*

Ovary

- 368 Effects of Metformin on Bovine Granulosa Cells Steroidogenesis: Possible Involvement of Adenosine 5' Monophosphate-Activated Protein Kinase (AMPK). *Lucie Tosca, Christine Chabrolle, Svetlana Uzbekova, and Joëlle Dupont*

- 379 Cell-Type Localization of Platelet-Derived Growth Factors and Receptors in the Postnatal Rat Ovary and Follicle. *Leanne S. Sleer and Christopher C. Taylor*
- 391 Platelet-Derived Growth Factors and Receptors in the Rat Corpus Luteum: Localization and Identification of an Effect on Luteogenesis. *Leanne S. Sleer and Christopher C. Taylor*
- 466 Low-Density Lipoprotein Receptor-Related Protein 8 (LRP8) Is Upregulated in Granulosa Cells of Bovine Dominant Follicle: Molecular Characterization and Spatio-Temporal Expression Studies. *Tania Fayad, Réjean Lefebvre, Johannes Nimpf, David W. Silversides, and Jacques G. Lussier*
- 506 Temporal Associations among Pulses of 13,14-Dihydro-15-keto-PGF_{2α}, Luteal Blood Flow, and Luteolysis in Cattle. *O.J. Ginther, L.A. Silva, R.R. Araujo, and M.A. Beg*

Pregnancy

- 433 Differential Regulation of Colony Stimulating Factor 1 and Macrophage Migration Inhibitory Factor Expression by Inflammatory Cytokines in Term Human Decidua: Implications for Macrophage Trafficking at the Fetal-Maternal Interface. *Felice Arcuri, Lynn Buchwalder, Paolo Toti, Marcella Cintorino, Piero Tosi, Charles J. Lockwood, Basya Rybalov, and Frederick Schatz*
- 448 Coordinated Regulation of Human Trophoblast Invasiveness by Macrophages and Interleukin 10. *Stephen J. Renaud, Shannyn K. Macdonald-Goodfellow, and Charles H. Graham*
- 487 Differential Expression of Glucose Transporters in Rabbit Placenta: Effect of Hypercholesterolemia in Dams. *Olha Kevorkova, Maude Ethier-Chiasson, and Julie Lafond*

Reproductive Technology

- 401 Production of F₁ Interspecies Hybrid Offspring with Cryopreserved Sperm from a Live-Bearing Fish, the Swordtail *Xiphophorus helleri*. *Huiping Yang, Leona Hazlewood, Sheila J. Heater, Paula A. Guerrero, Ronald B. Walter, and Terrence R. Tiersch*
- 532 Leptin Promotes Meiotic Progression and Developmental Capacity of Bovine Oocytes Via Cumulus Cell-Independent and -Dependent Mechanisms. *Fabiola F. Paula-Lopes, Marc Boelhaue, Felix A. Habermann, Fred Sinowatz, and Eckhard Wolf*

Testis

- 407 The 193-Base Pair *Gsg2* (Haspin) Promoter Region Regulates Germ Cell-Specific Expression Bidirectionally and Synchronously. *Keizo Tokuhira, Yasushi Miyagawa, Shuichi Yamada, Mika Hirose, Hiroshi Ohta, Yoshitake Nishimune, and Hiromitsu Tanaka*

Toxicology

- 496 CYP2E1-Catalyzed Oxidation Contributes to the Sperm Toxicity of 1-Bromopropane in Mice. *C. Edwin Garner, C. Sloan, S.C.J. Sumner, J. Burgess, J. Davis, A. Etheridge, A. Parham, and B.I. Ghanayem*