

BIOLOGY *of* REPRODUCTION

Official Journal of the Society for
the Study of Reproduction

JUNE 2007

VOLUME 76 NUMBER 6

<i>Biology of Reproduction Highlights</i>	925
Minireview. Vertebrate Yolk Complexes and the Functional Implications of Phosvitins and Other Subdomains in Vitellogenins	926
<i>Roderick Nigel Finn</i> A review of vitellogenin-derived yolk protein conjugates and putative functions of the phosvitin and von Willebrand domains is presented.	
The Maturational Disassembly and Differential Proteolysis of Paralogous Vitellogenins in a Marine Pelagophil Teleost: A Conserved Mechanism of Oocyte Hydration	936
<i>Roderick Nigel Finn</i> Conserved cleavage sites of the maturational proteolytic events in vertebrate vitellogenins are revealed to yield a model of yolk proteolysis and the origin of the organic free amino acid pool that drives hydration of the oocyte.	
Allocation of Gamma-Tubulin Between Oocyte Cortex and Meiotic Spindle Influences Asymmetric Cytokinesis in the Mouse Oocyte	949
<i>Susan L. Barrett and David F. Albertini</i> First polar body extrusion in mouse oocytes is modulated by differential allocation of gamma-tubulin between the cortex and meiotic spindle during in vitro maturation.	
Members of the Toll-Like Receptor Family of Innate Immunity Pattern-Recognition Receptors Are Abundant in the Male Rat Reproductive Tract	958
<i>M.A. Palladino, T.A. Johnson, R. Gupta, J.L. Chapman, and P. Ojha</i> Toll-like receptors, which are important pathogen-recognition receptor molecules required for innate immunity, are widely expressed in the testis and epididymis.	
Positive Association, in Local Release, of Luteal Oxytocin with Endothelin 1 and Prostaglandin F_{2alpha} During Spontaneous Luteolysis in the Cow: A Possible Intermediary Role for Luteolytic Cascade Within the Corpus Luteum.	965
<i>Koumei Shirasuna, Takashi Shimizu, Ken-Go Hayashi, Kaya Nagai, Motozumi Matsui, and Akio Miyamoto</i> Intraluteal OT may locally modulate secretion of vasoactive substances, particularly EDN1 and PGF _{2alpha} within the CL, and thus might be one of the luteal mediators of spontaneous luteolysis in the cow.	
Up-Regulation of Myometrial RHO Effector Proteins (PKN1 and DIAPH1) and CPI-17 (PPP1R14A) Phosphorylation in Human Pregnancy Is Associated with Increased GTP-RHOA in Spontaneous Preterm Labor	971
<i>J. Lartey, M. Smith, J. Pawade, B. Strachan, H. Mellor, and A. López Bernal</i> Human pregnancy is associated with upregulated expression of RHO effector proteins PKN1 and DIAPH1 and PPP1R14A phosphorylation in myometrium, whilst idiopathic preterm labor is characterized by an increase in GTP-bound RHOA.	
Quantitative Monitoring of Pluripotency Gene Activation after Somatic Cloning in Cattle	983
<i>Annegret Wuensch, Felix A. Habermann, Satoshi Kurosaka, Regina Klose, Valeri Zakhartchenko, Horst-Dieter Reichenbach, Fred Sinowatz, K. John McLaughlin, and Eckhard Wolf</i> A <i>Pou5f1</i> -EGFP reporter gene construct is a functional tool for studying the <i>Pou5f1</i> promoter activation after nuclear transfer in cattle.	
Analysis of <i>Ppp1cc</i>-Null Mice Suggests a Role for PP1gamma2 in Sperm Morphogenesis.	992
<i>Rumela Chakrabarti, Douglas Kline, Jing Lu, Joanne Orth, Stephen Pilder, and Srinivasan Vijayaraghavan</i> Testicular spermatids of <i>Ppp1cc</i> -null mice are malformed, suggesting a role for the protein phosphatase 1 gamma isoform in sperm tail morphogenesis.	
Preservation of Ejaculated Mouse Spermatozoa from Fertile C57BL/6 and Infertile <i>Hook1/Hook1</i> Mice Collected from the Uteri of Mated Females	1002
<i>Yasuhiro Yamauchi and Monika A. Ward</i> ICSI with ejaculated sperm from fertile C57BL/6 and infertile <i>Hook1/Hook1</i> males preserved by cryopreservation and rapid freezing results in viable offspring with similar efficiency for both types of males and both preservation methods.	
Interleukin 1 in Oviductal Tissues of Viviparous, Oviparous, and Ovuliparous Species of Amphibians	1009
<i>Silke Jantra, Elisa Bigliardi, Rossana Brizzi, Francesca Ietta, Nicoletta Bechi, and Luana Paulesu</i> The progressive increase in the cell types expressing IL1B and IL1R1 in reproductive tissues of amphibians from ovuliparity to oviparity and viviparity suggests differential roles for IL1 system in the various reproductive modes.	

Molecular Mechanisms of Insulin-Like Growth Factor 1 Promoted Synthesis and Retention of Hyaluronic Acid in Porcine Oocyte-Cumulus Complexes	1016
<i>Lucie Němcová, Eva Nagypová, Michal Petlach, Milan Tománek, and Radek Procházka</i>	
IGF1 acts synergistically with FSH to activate AKT and MAPK3/1 signaling pathways in pig oocyte-cumulus complexes and to promote synthesis of hyaluronic acid and its retention within cumulus cells.	
Polypyrimidine Tract Binding Protein 2 Stabilizes Phosphoglycerate Kinase 2 mRNA in Murine Male Germ Cells by Binding to Its 3'UTR	1025
<i>Mingang Xu and Norman B. Hecht</i>	
Polypyrimidine tract binding protein 2 is a <i>trans</i> -acting factor that helps stabilize phosphoglycerate kinase 2 mRNA in male germ cells of the mouse.	
Gene Expression Profiling and Its Relevance to the Blood-Epididymal Barrier in the Human Epididymis	1034
<i>Evemie Dubé, Peter T.K. Chan, Louis Hermo, and Daniel G. Cyr</i>	
The human epididymis displays a complex gene expression pattern including several genes that are implicated in the formation of the blood-epididymal barrier.	
Role of Central Nervous System and Ovarian Insulin Receptor Substrate 2 Signaling in Female Reproductive Function in the Mouse	1045
<i>Irina Neganova, Hind Al-Qassab, Helen Heffron, Colin Selman, Agharul I. Choudhury, Steven J. Lingard, Ivan Diakonov, Michael Patterson, Mohammad Ghatei, Stephen R. Bloom, Stephen Franks, Ilpo Huhtaniemi, Kate Hardy, and Dominic J. Withers</i>	
Insulin receptor substrate 2 signaling acts in the ovary but not the central nervous system to regulate female reproductive function in mice.	
Chronic Treatment of Male Tamar Wallabies with Deslorelin Implants During Pouch Life: Effects on Development, Puberty, and Reproduction in Adulthood	1054
<i>C.A. Herbert, D.C. Eckery, T.E. Trigg, and D.W. Cooper</i>	
Pre-pubertal GnRH agonist treatment retards neuroendocrine and testicular development during infancy, but does not alter the timing of puberty in male tamar wallabies.	
The Aryl Hydrocarbon Receptor Affects Mouse Ovarian Follicle Growth via Mechanisms Involving Estradiol Regulation and Responsiveness	1062
<i>Kimberly R. Barnett, Dragana Tomic, Rupesh K. Gupta, Kimberly P. Miller, Sharon Meachum, Tessie Paulose, and Jodi A. Flaws</i>	
The aryl hydrocarbon receptor (AHR) affects mouse ovarian follicle growth via mechanisms involving estradiol regulation and responsiveness.	
Analysis of Gene Expression in Bovine Testis Tissue Prior to Ectopic Testis Tissue Xenografting and During the Grafting Period	1071
<i>Jonathan A. Schmidt, Jeanene M. de Avila, and Derek J. McLean</i>	
Differential gene expression in bovine testis may contribute to the efficiency of sperm production in bovine ectopic testis tissue xenografts.	
Heterophilic Binding of the Adhesion Molecules Poliovirus Receptor and Immunoglobulin Superfamily 4A in the Interaction Between Mouse Spermatogenic and Sertoli Cells	1081
<i>Tomohiko Wakayama, Yoshimichi Sai, Akihiko Ito, Yukio Kato, Miho Kurobo, Yoshinori Murakami, Emi Nakashima, Akira Tsuji, Yukihiro Kitamura, and Shoichi Iseki</i>	
The heterophilic binding between adhesion molecules poliovirus receptor and immunoglobulin superfamily 4A is responsible for the interaction between Sertoli and spermatogenic cells during mouse spermatogenesis.	
Anterior Pituitary Gene Expression with Reproductive Aging in the Female Rat	1091
<i>Weiming Zheng, Mercedes Jimenez-Linan, Beverly S. Rubin, and Lisa M. Halvorson</i>	
Gene-specific blunting of pituitary gene expression postovariectomy and during the steroid-induced surge in middle-aged female rats may contribute to reproductive senescence.	
Novel Aspects of the Sperm-Associated Antigen 11 (SPAG11) Gene Organization and Expression in Cattle (<i>Bos taurus</i>)	1103
<i>Maria Christina W. Avellar, Luciana Honda, Katherine G. Hamil, Yashwanth Radhakrishnan, Suresh Yenugu, Gail Grossman, Peter Petrusz, Frank S. French, and Susan H. Hall</i>	
Bovine <i>SPAG11</i> gene presents conserved chromosomal location within a cluster of beta-defensin genes, multiple transcripts, species-specific exons, abundant expression in the male reproductive tract, association with sperm and antibacterial activity.	
Author Index	1118
Volume Contents	1121

Contents by Category

Embryo

- 983 Quantitative Monitoring of Pluripotency Gene Activation after Somatic Cloning in Cattle. *Annegret Wuensch, Felix A. Habermann, Satoshi Kurosaka, Regina Klose, Valeri Zakhartchenko, Horst-Dieter Reichenbach, Fred Sinowatz, K. John McLaughlin, and Eckhard Wolf*

Gamete Biology

- 936 The Maturation Disassembly and Differential Proteolysis of Paralogous Vitellogenins in a Marine Pelagophil Teleost: A Conserved Mechanism of Oocyte Hydration. *Roderick Nigel Finn*
- 949 Allocation of Gamma-Tubulin Between Oocyte Cortex and Meiotic Spindle Influences Asymmetric Cytokinesis in the Mouse Oocyte. *Susan L. Barrett and David F. Albertini*
- 1016 Molecular Mechanisms of Insulin-Like Growth Factor 1 Promoted Synthesis and Retention of Hyaluronic Acid in Porcine Oocyte-Cumulus Complexes. *Lucie Němcová, Eva Nagyová, Michal Petlach, Milan Tománek, and Radek Procházka*

Immunology

- 1009 Interleukin 1 in Oviductal Tissues of Viviparous, Oviparous, and Ovuliparous Species of Amphibians. *Silke Jantra, Elisa Bigliardi, Rossana Brizzi, Francesca Ietta, Nicoletta Bechi, and Luana Paulesu*

Male Reproductive Tract

- 958 Members of the Toll-Like Receptor Family of Innate Immunity Pattern-Recognition Receptors Are Abundant in the Male Rat Reproductive Tract. *M.A. Palladino, T.A. Johnson, R. Gupta, J.L. Chapman, and P. Ojha*
- 1034 Gene Expression Profiling and Its Relevance to the Blood-Epididymal Barrier in the Human Epididymis. *Evemie Dubé, Peter T.K. Chan, Louis Hermo, and Daniel G. Cyr*
- 1054 Chronic Treatment of Male Tammar Wallabies with Deslorelin Implants During Pouch Life: Effects on Development, Puberty, and Reproduction in Adulthood. *C.A. Herbert, D.C. Eckery, T.E. Trigg, and D.W. Cooper*
- 1103 Novel Aspects of the Sperm-Associated Antigen 11 (SPAG11) Gene Organization and Expression in Cattle (*Bos taurus*). *Maria Christina W. Avellar, Luciana Honda, Katherine G. Hamil, Yashwanth Radhakrishnan, Suresh Yenugu, Gail Grossman, Peter Petrusz, Frank S. French, and Susan H. Hall*

Minireviews

- 926 Vertebrate Yolk Complexes and the Functional Implications of Phosvitins and Other Subdomains in Vitellogenins. *Roderick Nigel Finn*

Ovary

- 965 Positive Association, in Local Release, of Luteal Oxytocin with Endothelin 1 and Prostaglandin F_{2alpha} During Spontaneous Luteolysis in the Cow: A Possible Intermediary Role for Luteolytic

Cascade Within the Corpus Luteum. *Koumei Shirasuna, Takashi Shimizu, Ken-Go Hayashi, Kaya Nagai, Motozumi Matsui, and Akio Miyamoto*

- 1045 Role of Central Nervous System and Ovarian Insulin Receptor Substrate 2 Signaling in Female Reproductive Function in the Mouse. *Irina Neganova, Hind Al-Qassab, Helen Heffron, Colin Selman, Agharul I. Choudhury, Steven J. Lingard, Ivan Diakonov, Michael Patterson, Mohammad Ghatei, Stephen R. Bloom, Stephen Franks, Ilpo Huhtaniemi, Kate Hardy, and Dominic J. Withers*
- 1062 The Aryl Hydrocarbon Receptor Affects Mouse Ovarian Follicle Growth via Mechanisms Involving Estradiol Regulation and Responsiveness. *Kimberly R. Barnett, Dragana Tomic, Rupesh K. Gupta, Kimberly P. Miller, Sharon Meachum, Tessie Paulose, and Jodi A. Flaws*

Pituitary

- 1091 Anterior Pituitary Gene Expression with Reproductive Aging in the Female Rat. *Weiming Zheng, Mercedes Jimenez-Linan, Beverly S. Rubin, and Lisa M. Halvorson*

Pregnancy

- 971 Up-Regulation of Myometrial RHO Effector Proteins (PKN1 and DIAPH1) and CPI-17 (PPP1R14A) Phosphorylation in Human Pregnancy Is Associated with Increased GTP-RHOA in Spontaneous Preterm Labor. *J. Lartey, M. Smith, J. Pawade, B. Strachan, H. Mellor, and A. López Bernal*

Reproductive Technology

- 1002 Preservation of Ejaculated Mouse Spermatozoa from Fertile C57BL/6 and Infertile *Hook1/Hook1* Mice Collected from the Uteri of Mated Females. *Yasuhiro Yamauchi and Monika A. Ward*

Testis

- 992 Analysis of *Ppp1cc*-Null Mice Suggests a Role for PP1gamma2 in Sperm Morphogenesis. *Rumela Chakrabarti, Douglas Kline, Jing Lu, Joanne Orth, Stephen Pilder, and Srinivasan Vijayaraghavan*
- 1025 Polypyrimidine Tract Binding Protein 2 Stabilizes Phosphoglycerate Kinase 2 mRNA in Murine Male Germ Cells by Binding to Its 3'UTR. *Mingang Xu and Norman B. Hecht*
- 1071 Analysis of Gene Expression in Bovine Testis Tissue Prior to Ectopic Testis Tissue Xenografting and During the Grafting Period. *Jonathan A. Schmidt, Jeanene M. de Avila, and Derek J. McLean*
- 1081 Heterophilic Binding of the Adhesion Molecules Poliovirus Receptor and Immunoglobulin Superfamily 4A in the Interaction Between Mouse Spermatogenic and Sertoli Cells. *Tomohiko Wakayama, Yoshimichi Sai, Akihiko Ito, Yukio Kato, Miho Kurobo, Yoshinori Murakami, Emi Nakashima, Akira Tsuji, Yukihiko Kitamura, and Shoichi Iseki*